

Notes:

Tree Constraints/Root zones
For trees being retained, all construction works need to be planned to occur outside this area

Tag Number
Category grade
Actual Crown Spread

BS5837: 2012 – Category Retention Rating

Category U Trees—
Trees in such a condition that any existing value would be lost within 10 years or being recommended for removal sound arboricultural practice.

Category A Trees
Trees of high quality/value with a min. of 40 years life expectancy.

Category B Trees
Trees of moderate quality/value with a min. of 20 years life expectancy.

Category C Trees
Trees of low quality/value with a min. of 10 years life expectancy.

Sub Categories
1 – Mainly Arboricultural values
2 – Mainly Landscape values
3 – Mainly cultural and conservation values.

Tree & hedge vegetation being retained

Trees & Hedge Vegetation being removed.

Trees being removed due to condition as part management and not directly affected by the proposed development layout.



ARBORIST ASSOCIATES LTD.
94 BALLYBAWN COTTAGES, ENNISKERRY, CO. WICKLOW
TEL: 01-2742011 / 087-2629589

TITLE: Tree Retention & Removal Plan
(Arboricultural Impact Assessment Plan)

Site: Lands at Glenamuck North, Kilternan,
Dublin 18.

DATE: Dwg No.GNIN002 Scale 1:500 © AO